



PHANTOM 17000



Perfect Oil.
It's so perfect, we
GUARANTEE IT'S
Quality
Reliability
Uniqueness



"Best Quality, **PDS**

Product

| Type

**API SN SAE
10W-30
(ILSAC GF-5)**

**Engine Oil For Passenger
Cars**

Application

Recommended for vehicles manufactured from year 2008 onwards with API Compliances. QUANTUM Phantom 17000 is the next generation ultimate performance multigrade engine oil specially engineered to exceed the latest API SN standards meant for current generation high performance engines, especially those fitted with emission control devices. It is exclusively formulated with premium base fluids and unique environmentally friendly additives system to provide exceptional thermal and oxidation stability that minimizes oil thickening at very high operating temperatures, excellent deposits control and minimized engine wear and tear.

An advanced additive system ensures excellent control over soot induced wear, high temperature piston deposits, corrosion, foaming and oxidation stability. It also provides excellent resistance to bore polishing, a high level of wear protection and ensures superior engine cleanliness at extended drain intervals

Meets the Specifications of:

- API SN
- API SM
- API CF



Product | Type

**API SN SAE
10W-30
(ILSAC GF-5)**

**Engine Oil For Passenger
Cars**

Characteristics	Phantom 17000
	API SN SAE 10W-30
Density @ 15 C, kg/l	0.854
Pour Point, C	-34
Flash Point, C	223
Kinematic Viscosity, cSt	
@ 40 C	61.66
@ 100 C	10.39
Viscosity Index	157.84
Cold Cranking Visc @-30C, cP	4634.04

The product typical may change without notice. However, the performance of the product would meet & exceed the API & OEM requirements



Product

| Type

***API SN SAE
10W-30
(ILSAC GF-5)***

***Engine Oil For Passenger
Cars***

Customer Benefits

- Boost engine power and torque for better engine response and acceleration.
- Excellent fuel economy benefits, especially for the SAE 10W-30 grade.
- Ultimate engine wear protection at extreme driving conditions to prolong engine life.
- Exceptional engines cleanliness - protects against engine sludge and varnish deposits.
- Resists viscosity and thermal breakdown even in the severest service for longer drain capability.
- Excellent cold engines starting - minimize friction and wear at a start-up.

Recommended Oil Interval Changes

Oil change intervals can be as short as 7,000 km or as long 8,000 km on some new vehicles. We recommend that you follow the oil and filter change frequencies shown in your owner's manual. With the high-performance engine oil, you can have the confidence to go the full mileage or time frame recommended by the vehicle manufacturer. Phantom 17000 is especially suitable for the latest vehicles with extended drain intervals or vehicles with oil monitoring systems that vary oil drain intervals. and this is subject to first time Quantum Engine Flush.